ELSEVIER

Thin Solid Films 289 (1996) 307–308

thin solid films

Author Index of Volume 289

Agres, L., 170
Ahumada, O., 129
Alvarez, F., 238
Aoyagi, E., 74
Avasthi, D.K., 95

Bai, C.L., 70
Baik, H.K., 79
Bajo, G., 129
Bertini, F., 129
Bhosale, C.H., 14
Bideux, L., 295
Bolognesi, A., 129
Bonanno, A., 177
Borden, M.J., 17
Bosch, S., 54
Brauer, S., 220
Bruschi, P., 242
Byun, D., 256

Cabral, Jr., C., 220
Carter, G., 121
Chen, H.Y., 59
Chen, K.-C., 300
Cho, S.M., 153
Choi, D.J., 79
Choi, I.-H., 256
Choi, Y.-S., 153
Cisneros, J.I., 238
Clevenger, L.A., 220
Czeremuszkin, G., 112
Czerwinski, F., 213

Danson, N., 99
Delsol, R., 170
Denanot, M.F., 261
Dos Santos, M.P., 65
DuVall, J.E., 39

Ershov, A., 140
Eymery, J.P., 261

Feng, Z.C., 59
Fischer, R.A., 147

Galla, K., 272
Gasser, S.M., 166
Gautier, C., 34
Gohda, S., 29
Gordillo, G., 238
Goudeau, Ph., 261
Gruzza, B., 295

Elsevier Science S.A.

Hall, G.W., 99
Hatzopoulos, N., 90
Haussalo, P., 159
He, Y., 1
Hemment, P.L.F., 90
Horng, R.H., 234
Howson, R.P., 99

Jang, J., 227
Jokinen, J., 159
Jordan-Sweet, J., 220

Kawai, T., 29
Keinonen, J., 159
Killedar, V.V., 14
Kim, G., 256
Kim, H., 192
Kim, H.-J., 207
Kim, J.H., 79
Kim, J.-Y., 184
Kim, Y.H., 79
Kolawa, E., 166
Kosaka, T., 74
Kryszewski, M., 112
Kubono, A., 107
Kum, D.-W., 256
Kung, C.Y., 234
Kweon, Y.-G., 207

Latreche, M., 170
Lavers, C.R., 133
Lavoie, C., 220
Lee, C.-G., 153
Lee, D., 256
Leskelä, M., 159, 250
Li, L., 70
Li, Q., 70
Lim, D., 256
Lim, H.J., 227
Lin, J., 59
Liu, S.-G., 300
Liu, Y., 282
Liu, Y.-Q., 300
Löbau, J., 272
Lokhande, C.D., 14
Lu, H.L., 17
Ludviksson, A., 6
Ludwig, Jr., K.F., 220

Machet, J., 34
Mage, L., 170
Malhotra, L.K., 22, 95
Masetti, E., 54
Matero, R., 250

Matolin, V., 295
Matsubara, E., 74
Matsuno, N., 84
Mehta, B.R., 95
Meng, L.-J., 65
Metzger, T., 147
Miehr, A., 147
Mizutani, T., 84
Mod Ali, N., 267
Monzonís, F., 54
Morales, G., 220

Nannini, A., 242
Nehasil, V., 295
Nicolet, M.-A., 166

Oki, S., 29
Okui, N., 107
Oliva, A., 177
Ouyang, J., 199

Pakhomov, G.L., 286
Park, D., 256
Park, D.-K., 184
Pekker, L., 140
Peterse, W.J.A.M., 49
Pozdnyaev, D.E., 286
Provasoli, A., 129

Rahmoune, M., 261
Raynaud, P., 170
Reif, R., 192
Reucroft, P.J., 184
Riccardi, P., 177
Riihelä, D., 159, 250
Ritala, M., 159, 250
Robert, C., 295
Robinson, D.W., 6
Rogers, Jr., J.W., 6
Roy, R.A., 220
Ruiz, R.P., 166
Rumphorst, A., 272
Ryu, B.Y., 227
Ryu, J.I., 227

Sadamori, K., 74
Sahay, M.K., 95
Saito, M., 74
Scholte, P.M.L.O., 49
Seeger, S., 272
Segui, Y., 170
Senguttuvan, T.D., 22
Serra, G., 242
Shalish, I., 166

Shao, H.-L., 107
Siapkas, D.I., 90
Smith, F.A., 267
Sommer, W.F., 17
Soni, R.K., 95
Spector, V.N., 286
Steinfort, A.J., 49
Stephenson, G.B., 220
Stussi, E., 242
Sugama, T., 39
Sun, Y., 1
Sun, Z., 1
Suzuki, S., 74
Suzuoki, Y., 84
Szpunar, J.A., 213

Tabata, A., 84
Tabata, H., 29
Tai, Z., 199
Takayama, S., 289
Tan, K.L., 59
Tanaka, H., 29
Tang, W., 199
Tesmer, J.R., 17
Tian, H., 300
Torres, J., 238
Tsutsui, N., 289
Tucker, C.E., 267
Tuinstra, F., 49

Umemoto, S., 107

Vasilyev, A.D., 205
Villa, D., 129

Wang, C., 70
Wang, W.H., 180
Wang, W.K., 180
Wang, X., 1
Wang, X.W., 70
Waseda, Y., 74
Wolfrum, K., 272
Wróbel, A.M., 112
Wu, P.-J., 300
Wu, X.D., 17
Wuu, D.S., 234

Xu, C., 1
Xu, F., 177
Xu, R., 1
Xu, Y., 282

Yamazaki, Y., 29

Yu, J.W., 234
Yu, W., 180
Yuasa, N., 107
Zhang, M., 180
Zhang, P.C., 70
Zhao, B.R., 70
Zhao, X., 282
Zheng, L.Z., 70
Zheng, Z., 1
Zhu, C.F., 70
Zhu, D., 282
Zhu, D.-B., 300

ELSEVIER

Thin Solid Films 289 (1996) 309–313

thin solid films

Subject Index of Volume 289

Adsorption
influence of temperature on the electrical conductivity of 4-Br_4PcCu thin films in an ammonia atmosphere, 286
Alkali metals
conversion of an ultrathin Na overlayer into two-dimensional patches by ion bombardment, 177
Alloys
metal–organic chemical vapour deposition of manganese gallium alloys from the novel mixed metal single-source precursors $(CO)_5Mn–Ga(C_2H_5)_2[N(CH_3)_3]$, $(CO)_5Mn–Ga(C_2H_5)_2$-(NC_7H_{13}) and $[(CO)_5Mn]_2Ga[(CH_2)_3NMe_2]$, 147
Aluminium
Al–Sm and Al–Dy alloy thin films with low resistivity and high thermal stability for microelectronic conductor lines, 289
Aluminium nitride
the microstructure and properties of a buried AlN layer produced by nitrogen implantation into pure aluminum, 17
analysis of AlN thin films by combining TOF-ERDA and NRB techniques, 159
gold metallization for aluminum nitride, 166
Aluminium oxide
temperature-variant hardness behavior of plasma sprayed ceramic coatings, 207
introducing atomic layer epitaxy for the deposition of optical thin films, 250
vacuum evaporation of thin alumina layers, 295
Aluminum
the interaction of dimethylethylaminealane and ammonia on clean and oxidized Al(111): atomic layer growth of aluminum nitride, 6
polyorganosiloxane-grafted potato starch coatings for protecting aluminum from corrosion, 39
Ammonia
influence of temperature on the electrical conductivity of 4-Br_4PcCu thin films in an ammonia atmosphere, 286
Anisotropy
preparation and characterization of poly[3-(6-tetrahydropyraniloxy-hexyl]-2,5- thienylene Langmuir–Blodgett films, 129
Atomic force microscopy
optimization of the GaN-buffer growth on 6H-SiC(0001), 256
Atomic force microscopy (AFM)
atomic force microscopy study of the growth mechanism of ultrathin $YBa_2Cu_3O_7$ (YBCO) films, 70
Atomic layer epitaxy (ALE)
introducing atomic layer epitaxy for the deposition of optical thin films, 250
Auger electron spectroscopy (AES)
the interaction of dimethylethylaminealane and ammonia on clean and oxidized Al(111): atomic layer growth of aluminum nitride, 6
vacuum evaporation of thin alumina layers, 295

Bi_2S_3 thin films
preparation and characterization of Bi_2S_3 thin films spray deposited from non-aqueous media, 14

C:S:N:H films
plasma chemical vapor deposition of a-C:S:N:H films using organoisothiocyanates as novel single-source precursors, 112
Cadmium
transparent conducting $Zn_xCd_{1-x}O$ thin films prepared by the sol-gel process, 153
Cadmium sulphide
a simple method to determine the optical constants and thicknesses of $Zn_xCd_{1-x}S$ thin films, 238
Cerium
optimizing properties of CeO_2 sol–gel coatings for protection of metallic substrates against high temperature oxidation, 213
Chemical vapour deposition
characterization of lead lanthanum titanate thin films grown on fused quartz using MOCVD, 59
structural properties of amorphous carbon nitride films prepared by remote plasma-enhanced chemical vapor deposition, 79
in-situ study on alternating vapor deposition polymerization of alkyl polyamide with normal molecular orientation, 107
metal–organic chemical vapour deposition of manganese gallium alloys from the novel mixed metal single-source precursors $(CO)_5Mn–Ga(C_2H_5)_2[N(CH_3)_3]$, $(CO)_5Mn–Ga(C_2H_5)_2$-(NC_7H_{13}) and $[(CO)_5Mn]_2Ga[(CH_2)_3NMe_2]$, 147
in-situ low-temperature (600 °C) wafer surface cleaning by electron cyclotron resonance hydrogen plasma for silicon homoepitaxial growth, 192
optimization of the GaN-buffer growth on 6H-SiC(0001), 256
Chemical vapour deposition (CVD)
selective deposition of diamond onto Si substrates using tetraethylorthosilicate SiO_2 films as masks, 1
nucleation and growth mechanisms of copper MOCVD film on Au/Si substrates, 184
Chemisorption
adsorption of alkyl-trichlorosilanes on glass and silicon: a comparative study using sum-frequency spectroscopy and XPS, 272
Chromium
effects of deposition parameters on the texture of chromium films deposited by vacuum arc evaporation, 34
Coating
polyorganosiloxane-grafted potato starch coatings for protecting aluminum from corrosion, 39
Coatings
effects of deposition parameters on the texture of chromium films deposited by vacuum arc evaporation, 34
determination of the optical dielectric constants and deformational effects, after surface treatment, of a polyimide alignment layer used within a ferroelectric liquid crystal device system, 133
Conductivity
temperature behaviour and $1/f$ noise of poly-alkoxythiophene and polypyrrole thin film microstructures, 242
Al–Sm and Al–Dy alloy thin films with low resistivity and high thermal stability for microelectronic conductor lines, 289

Elsevier Science S.A.

Copper
nucleation and growth mechanisms of copper MOCVD film on Au/Si substrates, 184
Cyclotron resonance studies
growth processes of dielectric thin films in a multipolar microwave plasma excited by distributed electron cyclotron resonance using tetraethylorthosilicate (TEOS) and oxygen precursors, 170

Deposition process
preparation and characterization of Bi_2S_3 thin films spray deposited from non-aqueous media, 14
sol gel deposition of pure and antimony doped tin dioxide thin films by non alkoxide precursors, 22
effects of deposition parameters on the texture of chromium films deposited by vacuum arc evaporation, 34
growth processes of dielectric thin films in a multipolar microwave plasma excited by distributed electron cyclotron resonance using tetraethylorthosilicate (TEOS) and oxygen precursors, 170
reinvestigation of the first nucleated phase in Nb/Si multilayers, 180
Deposition rate
steady state growth conditions in ion assisted or induced planar thin film deposition, 121
Depth profiling
optical investigation of structures formed by 2 MeV oxygen implantation into silicon, 90
analysis of AlN thin films by combining TOF-ERDA and NRB techniques, 159
Diamond
selective deposition of diamond onto Si substrates using tetraethylorthosilicate SiO_2 films as masks, 1
Dielectric properties
controlling factors on the synthesis of $Pb(Zr_xTi_{1-x})O_3$ films, 29
effects of rapid thermal process on structural and electrical characteristics of Y_2O_3 thin films by r.f.-magnetron sputtering, 234
Diffusion
dislocation mechanism of diffusion in Pd/Ag monocrystalline system, 205
Downhill simplex algorithm
ellipsometric methods for absorbing layers: a modified downhill simplex algorithm, 54

Electrical properties
preparation and characterization of Bi_2S_3 thin films spray deposited from non-aqueous media, 14
Electrical properties and measurements
sol gel deposition of pure and antimony doped tin dioxide thin films by non alkoxide precursors, 22
structure effect on electrical properties of ITO films prepared by RF reactive magnetron sputtering, 65
structural and electrical properties of low temperature polycrystalline silicon deposited using SiF_4–SiH_4–H_2, 227
temperature behaviour and $1/f$ noise of poly-alkoxythiophene and polypyrrole thin film microstructures, 242
influence of temperature on the electrical conductivity of 4-Br_4PcCu thin films in an ammonia atmosphere, 286
Electronic devices
formation of a crystalline metal-rich silicide in thin film titanium/silicon reactions, 220
characterisation and electrical property of molten-grown CuTCNQ film material, 300
Ellipsometry
ellipsometric methods for absorbing layers: a modified downhill simplex algorithm, 54
Epitaxy
new application of classical X-ray diffraction methods for epitaxial film characterization, 49

Etching
conversion of an ultrathin Na overlayer into two-dimensional patches by ion bombardment, 177
Evaporation
a simple method to determine the optical constants and thicknesses of $Zn_xCd_{1-x}S$ thin films, 238
vacuum evaporation of thin alumina layers, 295

Fourier transform infrared spectroscopy
characterization of lead lanthanum titanate thin films grown on fused quartz using MOCVD, 59
optical investigation of structures formed by 2 MeV oxygen implantation into silicon, 90

Gallium
metal–organic chemical vapour deposition of manganese gallium alloys from the novel mixed metal single-source precursors $(CO)_5Mn$–$Ga(C_2H_5)_2[N(CH_3)_3]$, $(CO)_5Mn$–$Ga(C_2H_5)_2$-(NC_7H_{13}) and $[(CO)_5Mn]_2Ga[(CH_2)_3NMe_2]$, 147
Gallium arsenide
a transmission electron microscopy study of interfacial reactions in the Fe/GaAs system, 261
Gallium nitride
optimization of the GaN-buffer growth on 6H-SiC(0001), 256
Glow discharge
model of d.c. magnetron reactive sputtering in Ar–O_2 gas mixtures, 140
Gold
gold metallization for aluminum nitride, 166
Growth mechanism
atomic force microscopy study of the growth mechanism of ultrathin $YBa_2Cu_3O_7$ (YBCO) films, 70
nucleation and growth mechanisms of copper MOCVD film on Au/Si substrates, 184

Hardness
temperature-variant hardness behavior of plasma sprayed ceramic coatings, 207
Heat treatment
Al–Sm and Al–Dy alloy thin films with low resistivity and high thermal stability for microelectronic conductor lines, 289
Hydrogen
in-situ low-temperature (600 °C) wafer surface cleaning by electron cyclotron resonance hydrogen plasma for silicon homoepitaxial growth, 192

Impurities
steady state growth conditions in ion assisted or induced planar thin film deposition, 121
Indium oxide
structure effect on electrical properties of ITO films prepared by RF reactive magnetron sputtering, 65
Infrared spectroscopy
optical properties and structure of SiO_2 films prepared by ion-beam sputtering, 84
high energy heavy ion induced changes in the photoluminescence and chemical composition of porous silicon, 95
adsorption of alkyl-trichlorosilanes on glass and silicon: a comparative study using sum-frequency spectroscopy and XPS, 272
Inorganic compounds
a simple method to determine the optical constants and thicknesses of $Zn_xCd_{1-x}S$ thin films, 238
Interfaces
new application of classical X-ray diffraction methods for epitaxial film characterization, 49

metal ion complexation of *N*-hexadecyl-8-hydroxy-2-quinoline-carboxamide in monolayers at the air–water interface and in organized monolayer systems, 199
a transmission electron microscopy study of interfacial reactions in the Fe/GaAs system, 261
Ion bombardment
improved control techniques for the reactive magnetron sputtering of silicon to produce silicon oxide and the implications for selected film properties, 99
steady state growth conditions in ion assisted or induced planar thin film deposition, 121
conversion of an ultrathin Na overlayer into two-dimensional patches by ion bombardment, 177
Ion implantation
the microstructure and properties of a buried AlN layer produced by nitrogen implantation into pure aluminum, 17
optical investigation of structures formed by 2 MeV oxygen implantation into silicon, 90
Iron
characterization for morphology of thin deposited Fe, Fe_2O_3 and Cr_2O_3 films on silicon wafer using grazing incidence X-ray scattering, 74
a transmission electron microscopy study of interfacial reactions in the Fe/GaAs system, 261
Iron oxide
characterization for morphology of thin deposited Fe, Fe_2O_3 and Cr_2O_3 films on silicon wafer using grazing incidence X-ray scattering, 74

Langmuir–Blodgett films
in-situ study on alternating vapor deposition polymerization of alkyl polyamide with normal molecular orientation, 107
preparation and characterization of poly[3-(6-tetrahydropyraniloxy-hexyl]-2,5- thienylene Langmuir–Blodgett films, 129
consideration of radiation-induced polymerization of diacetylene LB films for dosimetry, 267
second harmonic generation in Langmuir–Blodgett films of an asymmetrically substituted metallophthalocyanine, 282
Langmuir–Blodgett films (LB films)
metal ion complexation of *N*-hexadecyl-8-hydroxy-2-quinoline-carboxamide in monolayers at the air–water interface and in organized monolayer systems, 199
Laser ablation
controlling factors on the synthesis of $Pb(Zr_xTi_{1-x})O_3$ films, 29
Lattice parameters
controlling factors on the synthesis of $Pb(Zr_xTi_{1-x})O_3$ films, 29
Lead oxide
controlling factors on the synthesis of $Pb(Zr_xTi_{1-x})O_3$ films, 29
Luminescence
high energy heavy ion induced changes in the photoluminescence and chemical composition of porous silicon, 95

Manganese
metal–organic chemical vapour deposition of manganese gallium alloys from the novel mixed metal single-source precursors $(CO)_5Mn–Ga(C_2H_5)_2[N(CH_3)_3]$, $(CO)_5Mn–Ga(C_2H_5)_2$-(NC_7H_{13}) and $[(CO)_5Mn]_2Ga[(CH_2)_3NMe_2]$, 147
Metallization
metal–organic chemical vapour deposition of manganese gallium alloys from the novel mixed metal single-source precursors $(CO)_5Mn–Ga(C_2H_5)_2[N(CH_3)_3]$, $(CO)_5Mn–Ga(C_2H_5)_2$-(NC_7H_{13}) and $[(CO)_5Mn]_2Ga[(CH_2)_3NMe_2]$, 147
Metal-oxide semiconductor structure
effects of rapid thermal process on structural and electrical characteristics of Y_2O_3 thin films by r.f.-magnetron sputtering, 234
Metals
gold metallization for aluminum nitride, 166
metal ion complexation of *N*-hexadecyl-8-hydroxy-2-quinoline-carboxamide in monolayers at the air–water interface and in organized monolayer systems, 199
Molybdenum
conversion of an ultrathin Na overlayer into two-dimensional patches by ion bombardment, 177
Monolayers
metal ion complexation of *N*-hexadecyl-8-hydroxy-2-quinoline-carboxamide in monolayers at the air–water interface and in organized monolayer systems, 199
Multilayers
reinvestigation of the first nucleated phase in Nb/Si multilayers, 180

Nanostructures
optimizing properties of CeO_2 sol–gel coatings for protection of metallic substrates against high temperature oxidation, 213
N-Hexadecyl-8-hydroxy-2-quinolinecarboxamide
metal ion complexation of *N*-hexadecyl-8-hydroxy-2-quinoline-carboxamide in monolayers at the air–water interface and in organized monolayer systems, 199
Nickel
optimizing properties of CeO_2 sol–gel coatings for protection of metallic substrates against high temperature oxidation, 213
Nitrides
the interaction of dimethylethylamine alane and ammonia on clean and oxidized Al(111): atomic layer growth of aluminum nitride, 6
structural properties of amorphous carbon nitride films prepared by remote plasma-enhanced chemical vapor deposition, 79
Nuclear resonance broadening
analysis of AlN thin films by combining TOF-ERDA and NRB techniques, 159
Nucleation
selective deposition of diamond onto Si substrates using tetraethyl-orthosilicate SiO_2 films as masks, 1

Optical coatings
introducing atomic layer epitaxy for the deposition of optical thin films, 250
Optical properties
preparation and characterization of Bi_2S_3 thin films spray deposited from non-aqueous media, 14
sol gel deposition of pure and antimony doped tin dioxide thin films by non alkoxide precursors, 22
improved control techniques for the reactive magnetron sputtering of silicon to produce silicon oxide and the implications for selected film properties, 99
a simple method to determine the optical constants and thicknesses of $Zn_xCd_{1-x}S$ thin films, 238
consideration of radiation-induced polymerization of diacetylene LB films for dosimetry, 267
second harmonic generation in Langmuir–Blodgett films of an asymmetrically substituted metallophthalocyanine, 282
Optical spectroscopy
determination of the optical dielectric constants and deformational effects, after surface treatment, of a polyimide alignment layer used within a ferroelectric liquid crystal device system, 133
metal ion complexation of *N*-hexadecyl-8-hydroxy-2-quinoline-carboxamide in monolayers at the air–water interface and in organized monolayer systems, 199
a simple method to determine the optical constants and thicknesses of $Zn_xCd_{1-x}S$ thin films, 238
Organic substances
influence of temperature on the electrical conductivity of 4-Br_4PcCu thin films in an ammonia atmosphere, 286
Organoisothiocyanates
plasma chemical vapor deposition of a-C:S:N:H films using organoisothiocyanates as novel single-source precursors, 112

Organometallic vapour deposition
growth processes of dielectric thin films in a multipolar microwave plasma excited by distributed electron cyclotron resonance using tetraethylorthosilicate (TEOS) and oxygen precursors, 170
Oxidation
model of d.c. magnetron reactive sputtering in Ar–O_2 gas mixtures, 140
optimizing properties of CeO_2 sol–gel coatings for protection of metallic substrates against high temperature oxidation, 213

Palladium
dislocation mechanism of diffusion in Pd/Ag monocrystalline system, 205
Photoconductive
plasma chemical vapor deposition of a-C:S:N:H films using organoisothiocyanates as novel single-source precursors, 112
Physical vapour deposition (PVD)
effects of deposition parameters on the texture of chromium films deposited by vacuum arc evaporation, 34
Planarization
preparation and characterization of poly[3-(6-tetrahydropyraniloxyhexyl]-2,5- thienylene Langmuir–Blodgett films, 129
Plasma chemical vapor deposition
plasma chemical vapor deposition of a-C:S:N:H films using organoisothiocyanates as novel single-source precursors, 112
Plasma processing and deposition
model of d.c. magnetron reactive sputtering in Ar–O_2 gas mixtures, 140
growth processes of dielectric thin films in a multipolar microwave plasma excited by distributed electron cyclotron resonance using tetraethylorthosilicate (TEOS) and oxygen precursors, 170
in-situ low-temperature (600 °C) wafer surface cleaning by electron cyclotron resonance hydrogen plasma for silicon homoepitaxial growth, 192
temperature-variant hardness behavior of plasma sprayed ceramic coatings, 207
Polymers
in-situ study on alternating vapor deposition polymerization of alkyl polyamide with normal molecular orientation, 107
preparation and characterization of poly[3-(6-tetrahydropyraniloxyhexyl]-2,5- thienylene Langmuir–Blodgett films, 129
temperature behaviour and $1/f$ noise of poly-alkoxythiophene and polypyrrole thin film microstructures, 242
consideration of radiation-induced polymerization of diacetylene LB films for dosimetry, 267
Polyorganosiloxane
polyorganosiloxane-grafted potato starch coatings for protecting aluminum from corrosion, 39
Potato starch
polyorganosiloxane-grafted potato starch coatings for protecting aluminum from corrosion, 39

Raman scattering
characterization of lead lanthanum titanate thin films grown on fused quartz using MOCVD, 59
Raman spectroscopy
structural properties of amorphous carbon nitride films prepared by remote plasma-enhanced chemical vapor deposition, 79
Resistivity
Al–Sm and Al–Dy alloy thin films with low resistivity and high thermal stability for microelectronic conductor lines, 289
Rutherford backscattering spectroscopy
the microstructure and properties of a buried AlN layer produced by nitrogen implantation into pure aluminum, 17
optical investigation of structures formed by 2 MeV oxygen implantation into silicon, 90

Second harmonic generation
second harmonic generation in Langmuir–Blodgett films of an asymmetrically substituted metallophthalocyanine, 282
Semiconductors
transparent conducting $Zn_xCd_{1-x}O$ thin films prepared by the sol-gel process, 153
a simple method to determine the optical constants and thicknesses of $Zn_xCd_{1-x}S$ thin films, 238
Silicides
formation of a crystalline metal-rich silicide in thin film titanium/silicon reactions, 220
Silicon
high energy heavy ion induced changes in the photoluminescence and chemical composition of porous silicon, 95
structural and electrical properties of low temperature polycrystalline silicon deposited using SiF_4–SiH_4–H_2, 227
Silicon oxide
selective deposition of diamond onto Si substrates using tetraethylorthosilicate SiO_2 films as masks, 1
optical properties and structure of SiO_2 films prepared by ion-beam sputtering, 84
improved control techniques for the reactive magnetron sputtering of silicon to produce silicon oxide and the implications for selected film properties, 99
Silver
dislocation mechanism of diffusion in Pd/Ag monocrystalline system, 205
Single wavelength ellipsometry
ellipsometric methods for absorbing layers: a modified downhill simplex algorithm, 54
Solar cells
a simple method to determine the optical constants and thicknesses of $Zn_xCd_{1-x}S$ thin films, 238
Spray pyrolysis
preparation and characterization of Bi_2S_3 thin films spray deposited from non-aqueous media, 14
Sputtering
structure effect on electrical properties of ITO films prepared by RF reactive magnetron sputtering, 65
model of d.c. magnetron reactive sputtering in Ar–O_2 gas mixtures, 140
conversion of an ultrathin Na overlayer into two-dimensional patches by ion bombardment, 177
effects of rapid thermal process on structural and electrical characteristics of Y_2O_3 thin films by r.f.-magnetron sputtering, 234
Sputtering (ion beam)
optical properties and structure of SiO_2 films prepared by ion-beam sputtering, 84
Stress
improved control techniques for the reactive magnetron sputtering of silicon to produce silicon oxide and the implications for selected film properties, 99
Structural properties
structure effect on electrical properties of ITO films prepared by RF reactive magnetron sputtering, 65
structural and electrical properties of low temperature polycrystalline silicon deposited using SiF_4–SiH_4–H_2, 227
Sulfides
a simple method to determine the optical constants and thicknesses of $Zn_xCd_{1-x}S$ thin films, 238
Sulphides
preparation and characterization of Bi_2S_3 thin films spray deposited from non-aqueous media, 14
Surface diffusion
nucleation and growth mechanisms of copper MOCVD film on Au/Si substrates, 184

Surface morphology
atomic force microscopy study of the growth mechanism of ultrathin $YBa_2Cu_3O_7$ (YBCO) films, 70
Surface phonons and adsorbate vibrations
adsorption of alkyl-trichlorosilanes on glass and silicon: a comparative study using sum-frequency spectroscopy and XPS, 272
Surface plasmons
determination of the optical dielectric constants and deformational effects, after surface treatment, of a polyimide alignment layer used within a ferroelectric liquid crystal device system, 133
Surface roughness
determination of the optical dielectric constants and deformational effects, after surface treatment, of a polyimide alignment layer used within a ferroelectric liquid crystal device system, 133
Surface structure
new application of classical X-ray diffraction methods for epitaxial film characterization, 49

Thermal desorption
the interaction of dimethylethylamine alane and ammonia on clean and oxidized Al(111): atomic layer growth of aluminum nitride, 6
Thin film materials
characterisation and electrical property of molten-grown CuTCNQ film material, 300
Time-of-flight elastic recoil detection analysis
analysis of AlN thin films by combining TOF-ERDA and NRB techniques, 159
Tin oxide
sol gel deposition of pure and antimony doped tin dioxide thin films by non alkoxide precursors, 22
Titanium
formation of a crystalline metal-rich silicide in thin film titanium/silicon reactions, 220
Transmission electron microscopy
in-situ low-temperature (600 °C) wafer surface cleaning by electron cyclotron resonance hydrogen plasma for silicon homoepitaxial growth, 192
optimization of the GaN-buffer growth on 6H-SiC(0001), 256
Transmission electron microscopy (TEM)
reinvestigation of the first nucleated phase in Nb/Si multilayers, 180
a transmission electron microscopy study of interfacial reactions in the Fe/GaAs system, 261

Vacancies
transparent conducting $Zn_xCd_{1-x}O$ thin films prepared by the sol-gel process, 153
a simple method to determine the optical constants and thicknesses of $Zn_xCd_{1-x}S$ thin films, 238

X-ray diffraction
the microstructure and properties of a buried AlN layer produced by nitrogen implantation into pure aluminum, 17
new application of classical X-ray diffraction methods for epitaxial film characterization, 49
characterization of lead lanthanum titanate thin films grown on fused quartz using MOCVD, 59
reinvestigation of the first nucleated phase in Nb/Si multilayers, 180
formation of a crystalline metal-rich silicide in thin film titanium/silicon reactions, 220
X-ray photoelectron spectroscopy
characterization of lead lanthanum titanate thin films grown on fused quartz using MOCVD, 59
structural properties of amorphous carbon nitride films prepared by remote plasma-enhanced chemical vapor deposition, 79
adsorption of alkyl-trichlorosilanes on glass and silicon: a comparative study using sum-frequency spectroscopy and XPS, 272
X-ray photoelectron spectroscopy (XPS)
optical properties and structure of SiO_2 films prepared by ion-beam sputtering, 84
X-ray scattering
characterization for morphology of thin deposited Fe, Fe_2O_3 and Cr_2O_3 films on silicon wafer using grazing incidence X-ray scattering, 74
X-ray total reflection analysis
characterization for morphology of thin deposited Fe, Fe_2O_3 and Cr_2O_3 films on silicon wafer using grazing incidence X-ray scattering, 74

Yttrium oxide
effects of rapid thermal process on structural and electrical characteristics of Y_2O_3 thin films by r.f.-magnetron sputtering, 234

Zinc oxide
transparent conducting $Zn_xCd_{1-x}O$ thin films prepared by the sol-gel process, 153
Zinc sulphide
introducing atomic layer epitaxy for the deposition of optical thin films, 250
Zirconium
temperature-variant hardness behavior of plasma sprayed ceramic coatings, 207